

**IN THE CLAIMS:**

1. (Currently Amended) A method for displaying data associated with an electronic program guide, comprising:

displaying one or more movable objects concurrently with the electronic program guide;

displaying electronic program guide data corresponding to a position of the one or more moveable ~~object~~ objects; and

wherein said data corresponding to the position of the moveable object ~~is data from an electronic program guide which~~ is changed in a frame buffer or a video buffer as a user changes a position of said one or more moveable ~~object~~ objects.

2. (Previously Presented) The method according to claim 1, wherein said moveable object comprises a slide knob.

3. (Currently Amended) A device for displaying data associated with an electronic program guide, comprising:

one or more moveable objects positioned on a display of said device for controlling the display of data concurrently with program guide data;

a display to present data corresponding to a position of ~~the~~ said one or more moveable ~~object~~ objects; and

wherein said data corresponding to the position of the moveable object is data from an electronic program guide which is changed in a frame buffer or a video buffer as a user changes a position of said one or more moveable ~~object~~ objects.

4. (Previously Presented) The device according to claim 3, wherein said moveable object comprises a slide knob.

5. (Cancelled)

6. (Previously Presented) The device according to claim ~~5~~ 4, wherein the slide knob indicates a series of programs to be viewed.

7. (Currently Amended) A system for displaying data associated with an electronic program guide, comprising: means for displaying one or more moveable objects concurrently with the electronic program guide; and

means for displaying electronic program guide data corresponding to a position of ~~the~~ said one or more moveable ~~object~~ objects wherein the data corresponding to the position of the moveable object is ~~data from an electronic program guide which~~ is changed in a frame buffer or a video buffer as a user changes a position of said one or more moveable ~~object~~ objects.

8. (Previously Presented) The system according to claim 7, wherein the moveable object comprises a slide knob.

9. (Currently Amended) A computer-readable medium having stored thereon a plurality of instructions for displaying data associated with an electronic program guide, said plurality of instructions when executed by a computer, cause said computer to perform

displaying one or more moveable objects concurrently with the electronic program guide;

displaying electronic program guide data corresponding to a position of ~~the~~ said one or more moveable ~~object~~ objects; and

wherein the data corresponding to the position of ~~the~~ said one or more moveable ~~object~~ objects is ~~data from an electronic program guide which is updated in a frame buffer or a video buffer~~ as a user changes a position of said one or more moveable ~~object~~ objects.

10. (Previously Presented) The computer-readable medium of claim 9, wherein said moveable object comprises a slide knob.

11. (New) The method as in claim 1, further comprising, displaying a plurality of movable objects concurrently with the electronic program guide, wherein each moveable object corresponds to a different incremental value.

12. (New) The device as in claim 3, further comprising, a plurality of movable objects, wherein each moveable object corresponds to a different incremental value.

13. (New) The system as in claim 7, further comprising, displaying a plurality of movable objects concurrently with the electronic program guide, wherein each moveable object corresponds to a different incremental value.

14. (New) The computer-readable medium as in claim 9, further comprising, displaying a plurality of movable objects concurrently with the electronic program guide, wherein each moveable object corresponds to a different incremental value.

15. (New) The method as in claim 1, wherein said moveable object comprises an analog-type mechanism having at least an hour hand grab mechanism.

16. (New) The device as in claim 3, wherein said moveable object comprises an analog-type mechanism having at least an hour hand grab mechanism.

17. (New) The system as in claim 7, wherein said moveable object comprises an analog-type mechanism having at least an hour hand grab mechanism.

18. (New) The computer-readable medium as in claim 9, wherein said moveable object comprises an analog-type mechanism having at least an hour hand grab mechanism.

19. (New) The method as in claim 15, further comprising a minute hand grab mechanism.

Appl. No. 09/783,932  
Amdt. Dated April 20, 2005  
Reply to Office Action of October 21, 2004

20. (New) The system of claim 7, further comprising a minute hand grab mechanism.